

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8546	370/525-526.ccls. or 375/260-270.ccls. or 359/279.ccls. or 714/801.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 13:45
L2	557	1 and (DMT or (discret near1 multi\$3 near1 tone near1 system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 13:46
L3	61	2 and ((error or fault)near2 detection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 13:46
S1	325	((mlti\$1tone near3 system) or DMT) and "379"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 16:35
S2	23	S1 and ((error or fault)near2 detection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 12:44

S3	11	S2 and tones	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 12:36
S4	4	S3 and bits	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 12:37
S5	4	S4 and transmi\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 12:37
S6	10678	((milti\$1tone near3 system) or DMT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 13:16
S7	116010	"370"/\$.ccls. and "370"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 12:40
S8	6143	"379"/\$.ccls. and "370"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 12:40

S9	103	((multi\$1tone near3 system) or DMT) and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 13:45
S10	5	S9 and ((error or fault)near2 detection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 12:42
S11	15	("4131766" "4237551" "5095528" "5627501" "5790174" "5883941" "5956323" "6029048" "6118766" "6130882" "6141330" "6236664" "6404774" "6507606" "6763097").PN. OR ("6842426").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/12 12:44
S12	57	S1 and (((error or fault)near2 detection)or reliability)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 12:46
S13	17	S9 and (((error or fault)near2 detection)or reliability)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 12:48
S14	15	S9 and (((error or fault)near2 detection)or reliability)and ton\$2 and bit\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 13:08
S16	14	S14 and (identif\$4 or recogniz\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 13:09

S17	13	S16 and power	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 13:13
S18	13	S17 and tone and bit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/12 13:10
S19	22086	((reliabl\$5 or trust\$4 or (error near free)) near2 transmi\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 13:15
S20	13875	((reliabl\$5 or trust\$4 or (error near free)) near transmi\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 13:15
S21	57	S8 and S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 13:15
S22	5	((milti\$1tone near3 system) or DMT) and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 13:18

S23	4	S22 and tones and bit and data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/12 13:19
S24	1562413	redundant near "2" transmi\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 17:05
S25	1585	redundant near "2" transimtion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 17:08
S26	1	S25 and (DMT or (discret adj multi\$tone adj system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 17:08
S27	1	S25 and (DMT or (discret adj multi\$tone adj system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 17:11
S28	16358	redundant near2 (transimtion or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 17:09

S29	118	S28 and (DMT or (discret near multi\$tone near system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 17:19
S30	81	S29 and (identif\$5 or recogniz\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 17:20
S31	12	S29 and ((identif\$5 or recogniz\$3)near data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 17:26
S32	8	S31 and tones	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 17:31
S33	8	S32 and(vot\$3 or select\$3 or choos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 08:05
S34	1	S33 and (number near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 17:37

S35	0	"33" and (data near purality near2 tones)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 08:43
S36	16369	redundant near2 (transmition or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 08:43
S37	118	S36 and (DMT or (discret near multi\$tone near system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 15:56
S38	12	S37 and ((identifi\$5 or recogniz\$3)near data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 08:43
S39	8	S38 and tones	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 08:43
S40	8	S39 and(vot\$3 or select\$3 or choos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 08:43

S41	0	S40 and (data near purality near2 tones)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 08:43
S42	0	data near purality near2 tones	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 08:44
S43	0	data with purality with tones	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 08:44
S44	2208	data same (purality or multiple) same tones	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 08:44
S45	7	S44 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 12:03
S49	4323	(convert\$3 or encod\$3 or map\$3)near3 (word or data or bit or byt or digital) near3 (tone or DMT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 12:05

S50	2457	(convert\$3 or encod\$3 or map\$3)near2 (word or data or bit or byt or digital) near2 (tone or DMT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 12:06
S51	325	((mlti\$1tone near3 system) or DMT) and "379"/\$.cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 12:06
S52	25	S50 and S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 14:26
S53	2	S52 and (minimiz\$3 or reduc\$4) near1 noise	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 16:05
S54	3	S52 and (minimiz\$3 or reduc\$4) near1 (noise or interference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 12:20
S55	2	"7,218,642".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 12:58

S56	2	"6,970,415".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 14:26
S57	16933	(MCT or DMT or (discret near multi\$tone near system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 15:56
S58	3	S54 and S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 16:01
S59	60007	(repeat\$4 or re\$transmit\$4) near2 (data or bit or word)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 16:03
S60	33558	(repeat\$4 or re\$transmit\$4) near1(data or bit or word)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:12
S61	173	S57 and S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 16:04

S62	18	S61 and (minimiz\$3 or reduc\$4) near1 noise	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 16:11
S63	12	((repeat\$4 or re\$transmit\$4) near1(data or bit or word)) same (multi\$2 near1 tone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 07:43
S68	0	379/93.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:00
S69	0	379/90.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:00
S70	1477	379/90.01.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:01
S71	579	379/265.01.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:01

S72	3	S70 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:01
S73	2053	S70 or S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:01
S74	15	((mlti\$1tone near3 system) or DMT) and S73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:05
S75	2419	379/93.08,90.01,93.31,92.03,93.28,93.29,93.31.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:05
S76	57	((mlti\$1tone near3 system) or DMT) and S75	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:05
S77	2457	(convert\$3 or encod\$3 or map\$3)near2 (word or data or bit or byt or digital) near2 (tone or DMT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/17 11:09

S78	325	((multi\$1tone near3 system) or DMT) and "379"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:09
S79	25	S77 and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:09
S80	3	S79 and (minimiz\$3 or reduc\$4) near1 (noise or interference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:09
S81	1	S80 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:09
S82	13	((repeat\$4 or re\$transmit\$4) near1(data or bit or word set or group)) same (multi\$2 near1 tone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/17 12:43
S83	1	((repeat\$4 or re\$transmit\$4) near1(data or bit or word set or group)) with (multi\$2 near1 tone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/17 12:44

S84	12	((repeat\$4 or re\$transmit\$4) near1(data or bit or word)) same (multi\$2 near1 tone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/17 16:33
S85	2457	(convert\$3 or encod\$3 or map\$3)near2 (word or data or bit or byt or digital) near2 (tone or DMT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/17 16:27
S86	325	((mlti\$1tone near3 system) or DMT) and "379"/\$.cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 16:27
S87	25	S85 and S86	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 16:27
S88	3	S87 and (minimiz\$3 or reduc\$4) near1 (noise or interference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 16:32
S89	0	S84 and S88	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 16:27

S90	11	S84 and noise	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 16:31
S91	11	S84 and (minimiz\$3 or reduc\$4) near1 (noise or interference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 16:32
S92	32	((repeat\$4 or re\$transmit\$4) near1(data or bit or word)) same ((minimiz\$3 or reduc\$4)near1 (noise or interference))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/17 16:34
S93	0	((multi\$1tone near3 system) or DMT) and S92	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 16:35
S94	325	((multi\$1tone near3 system) or DMT) and "379"/\$.ccs.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 07:43
S95	12	((repeat\$4 or re\$transmit\$4) near1(data or bit or word)) same (multi\$2 near1 tone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 07:47

S96	2	S94 and S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 07:45
S97	0	S96 and (redundant near1 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 07:45
S98	477563	transmit\$3 near2 (data or bit or word)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 07:53
S99	283	(multiple or many or repeat\$4) and S94	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 07:53
S100	215	S98 and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 07:53
S101	67562	transmit\$3 near2 (data or bit or word) same (many or multiple or repeat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 07:55

S102	69	S101 and S94	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 07:54
S103	65	S102 and (noise or interference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 07:56
S104	2179	re\$1transmit\$3 near2 (data or bit or word) same (many or multiple or repeat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 07:56
S105	3	S104 and S94	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 07:56
S106	1	S105 and (noise or interference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 07:56
S107	5175	(error same (resilien\$5 or recover\$3)) and ("370"/\$.cds.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 13:23

S108	8995	(error same (resilien\$5 or recover\$3)) and ("370"/\$.ccls. or "455"/\$.ccls. or "709"/\$.ccls. or "379"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 13:24
S109	1622	S107 and (re\$1transmit\$3 or re\$1send)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 11:54
S110	2504	S108 and (re\$1transmit\$3 or re\$1send)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 11:54
S111	5440440	S110 and redundant(data or bit or word)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 11:55
S112	175	S110 and (redundant near1 (data or bit or word))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:29
S113	459	(error same resilien\$5) and ("370"/\$.ccls. or "455"/\$.ccls. or "709"/\$.ccls. or "379"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 13:24

S114	9	S113 and S112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 13:25
S115	34	S113 and (redundant near1 (data or bit or word))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:52
S116	10954	((mlti\$1tone near2 system) or DMT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/31 12:09
S117	122	S116 and (redundant near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/31 12:09
S118	0	redundant near2 data same (different or multiple)near1 tones	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/31 12:11
S119	30	S117 and ((different or multiple) near2 tones)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/31 12:12

S120	8	S119 and (error near1 detection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/31 12:13
S121	3	S120 and vot\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/31 12:13
S122	331	((mlti\$1tone near1 system) or DMT) and "379"/\$.cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 12:08
S123	8	tones with redundant near2 data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 12:09
S124	4959	S122 and2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 12:09
S125	0	S122 and S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 12:09

S126	8	tones with (redundant near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 12:10
S127	1886	((identif\$3 or recogniz\$3) same voting	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 12:11
S128	0	S122 and S127	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 12:11
S129	18	S122 and (error near1 detection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 12:11
S130	7	S129 and tones	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 12:12
S131	0	S130 and (redundant near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 12:12

S132	150	S127 and (error near1 detection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 12:15
S133	39	tones same redundant near2 data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 12:15
S134	0	S132 and S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 12:15
S135	0	S127 and S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 12:16
S136	112	((identif\$3 or recogniz\$3)near2 data same voting	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 13:08
S137	0	S136 and S122	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 13:09

S138	0	S136 and DMT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 13:09
S139	18	S136 and (error near1 detection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 13:09
S140	3	S139 and (tones or frequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 13:11
S141	0	S122 and S126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 13:24
S142	778	(allocat\$3 or assign\$3) near3 (data or bits) same tones	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 13:30
S143	30	S122 and S142	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 13:31

S144	29	S143 and transmi\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 13:31
S145	9	S144 and redundant	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 13:36
S146	0	S144 and (redundant near2 (data ot bit\$1 or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 13:37
S147	0	S144 and (error near2 detection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 13:40
S148	0	S122 and (error near2 detection)same voting	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 13:58
S149	18	S122 and (error near2 detection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 13:58

S150	3	S149 and redundant	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 14:18
S151	7	S122 and (redundant near2 (data of bit\$1 or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 14:19
S152	33	error near1 detection same majority near3 voting	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 16:40
S153	1	S152 and DMT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 16:43
S154	0	S152 and tones	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 16:53
S155	19	S152 and redundant	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 16:53

S156	20332	QAM or (quadrature adj amplitude adj modulation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 11:22
S157	192	S156 with (redund\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 11:23
S158	99975	"3" and "370"/\$.cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 11:24
S159	44	S157 and "370"/\$.cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 11:25
S160	35	370/260-270.cls. and vot\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 13:47
S161	1	370/260-270.cls. and vot\$3 with bit\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 13:48

S162	1	370/260-270.ccls. and (majority near2 vot\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 13:49
S163	112	((identif\$3 or recogniz\$3)near2 data same voting	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 13:53
S164	0	370/260-270.ccls. and S163	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 13:54
S165	140	(error\$1 near2 detection\$1) same voting	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 13:59
S166	120	S165 and bit\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 14:00
S167	61	(error\$1 near2 detection\$1) same voting same bit\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 14:01

S168	0	(error\$1 near2 detection\$1) same voting same bit\$1 same idetif\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 14:01
S169	39	S167 and redundan\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 14:01
S170	0	(error\$1 near2 detection\$1) same voting same bit\$1 same idetif\$3 same redundan\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 14:02
S171	1668	375/260.ccls. and power	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 14:36
S172	6110	375/260-270.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 14:37
S173	4	(identif\$3 or recogniz\$3) same vot\$3 and S172	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 14:38

S174	890	375/260-270.ccls. and power with bit\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 14:51
S175	71	375/260-270.ccls. and (power near1 level) with bit\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 14:53
S176	15	375/260-270.ccls. and allocat\$3 same(power near1 level) with bit\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 14:53
S177	21	375/260-270.ccls. and (transmit\$4 near2 bit\$1) same power near1 level	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 14:56
S178	43	375/260-270.ccls. and (transmit\$4 near5 "1") same power near1 level	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 15:10
S179	2	375/260-270.ccls. and (transmit\$4 near5 bit near3 "1") same power near1 level	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 15:11

S180	0	09/710610 and redundan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 15:35
S181	1	09/710610	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 15:35
S182	0	375-260-270.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/09 10:18
S183	6120	375/260-270.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/09 10:19
S184	71	"1" near2 first with (magnitude near2 phase)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/09 10:20
S185	2	S184 and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/09 10:21

S186	2790	"1" with (magnitude near2 phase)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/09 10:22
S187	26	S186 and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/09 10:22
S188	633	"0" with (magnitude near2 phase)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/09 10:22
S189	237	S186 same S188	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/09 10:23
S190	1	S189 and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/09 10:23
S191	3	S189 and DMT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/09 10:23

S192	2	"6,621,617".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/09 12:13
S193	2	10/048915or "6,512,797".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/09 12:13
S194	3	10/048915 or "6,512,797".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/09 12:13
S195	11719	(discret adj multitone\$1 adj system) or DMT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 09:46
S196	715	redundant with ((specific or allocat\$3 or predetermined) near5 bit \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 09:55
S197	21	S195 and S196	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 09:55

S198	0	S197 and vot\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 10:01
S199	353	((identif\$4 or recogniz\$4) near3 data same vot\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 10:02
S200	155	((identif\$4 or recogniz\$4) near1 data) same vot\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 10:02
S201	1	((identif\$4 or recogniz\$4) near1 data) same vot\$3 same redundant	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 10:03
S202	0	((identif\$4 or recogniz\$4) near1 data) same vot\$3 and redundant and S195	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 10:04
S203	0	((identif\$4 or recogniz\$4) near1 data) and vot\$3 and redundant and S195	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 10:04

S204	34	S195 and vot\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 10:05
S205	0	(predetermined near1 bite\$1)same (plurality near1 tones)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 11:11
S206	3	(predetermined near1 bit\$1)same (plurality near1 tones)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 11:12
S207	1	(majority near1 voting) same tones and DMT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 12:33
S208	1	(majority near1 voting) and tones and DMT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 12:34
S209	11719	(discret adj multitone\$1 adj system) or DMT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 12:35

S210	11719	S209	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 12:35
S211	0	S210 and (none near1 consecutive near tones)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 12:35
S212	13	S210 and (consecutive near tones)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 12:36
S213	317	370/525-526.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/11 13:47
S214	6	S213 and DMT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/11 13:47
S215	6	S213 and (DMT or (discret adj muti near1 tone))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/11 13:48

1/7/2009 1:47:21 PM

C:\Documents and Settings\melzoobi\My Documents\EAST\Workspaces\ App# 10633498.wsp